Australian Journal of Botany

Volume 26

Melbourne 1978

Australian Journal of Botany

A medium for the publication of results of original scientific research in botany.

Board of Standards

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of:

L. T. Evans (Chairman)

A. R. H. Cole

R. W. Crompton

B. V. Hamon

G. A. Horridge

L. G. Paleg

A. J. Pittard

J. P. Quirk B. J. Robinson

D. E. Tribe

C. H. Tyndale-Biscoe

A. B. Wardrop

B. J. Walby (Editor-in-Chief)

Advisory Committee

Acceptance of papers for this Journal is in the hands of an Advisory Committee consisting of a Chairman appointed by the Executive of CSIRO and the Council of the Australian Academy of Science, and members appointed by the Board of Standards.

A. B. Wardrop (Chairman)

M. M. Hindmarsh

R. T. Lange

A. J. McComb

L. L. Stubbs

H. B. S. Womersley

B. J. Walby (ex officio)

Published in Melbourne for the Commonwealth Scientific and Industrial Research Organization and the Academy of Science under the editorial control of G. J. Wylie and Mrs A. B. Williams.

Issued six times a year.

Annual subscription \$A30.

Australian Journal of Botany

C CSIRO 1978

All enquiries and manuscripts should be forwarded to:

The Editor-in-Chief Editorial and Publications Service CSIRO, 314 Albert Street East Melbourne, Victoria 3002

Indexes to Volume 26

Author Index

Anderson, C. A., and Ladiges, Pauline Y .-Comparison of three populations of Eucalyptus obliqua L'Hérit growing on acid and calcareous soils in southern Victoria Anderson, D. J. See Williams, D. G. 381 Ashcroft, W. J. See Murray, D. R. 755 Ashton, D. H. See Farrell, T. P. 365 del Moral, R. Attiwill, P. M., Guthrie, H. B., and Leuning, R .-Nutrient cycling in a Eucalyptus obliqua (L'Hérit.) forest. I. Litter production and nutrient return

Bamber, R. K., and Mullette, K. J.—
Studies of the lignotubers of *Eucalyptus*

Attiwill, P. M. See also Guthrie, H. B.

gummifera (Gaertn. & Hochr.). II. Anatomy 15

Bamber, R. K. See also Mullette, K. J. 23 Bamber, R. K., Summerville, Rosanne, and Gregory, Jeanette—

Unusual cells in the mesophyll zone of the leaves of Araucaria 177

Baqar, M. R. See Simpson, D. J. 783, 793

Boughton, T. J., Malajczuk, N., and Robson, A. D.—

Suppression of the infection of jarrah roots by *Phytophthora cinnamomi* with lime application 611

Bradley, V., Collins, D. J., Crabbe, P. G., Eastwood, F. W., Irvine, M. C., Swan J. M., and Symon, D. E.—

Survey of Australian *Solanum* plants for potentially useful sources of solasodine 723

Burbidge, A. H. See Hopper, S. D. 319, 335 Buttrose, M. S. See Sedgley, M. 663 Byrt, Pauline N., and Holland, A. A.— Infection of axenic Eucalyptus seedlings

with Phytophthora cinnamomi zoospores 169

Carolin, R. C., Jacobs, S. W. L., and Vesk, Maret—

Kranz cells and mesophyll in the Chenopodiales 683 Carter, C. R .-

Cytology of *Brachycome*. II. The subgenus *Metabrachycome*: a general survey 699

Coates, D. J. See Hopper, S. D. 319 Collins, D. J. See Bradley, V. 723

Crabbe, P. G. See Bradley, V. 723 Cunningham, R. B. See Shepherd, C. J. 139

Dell, B.—

Conversion of mevalonic acid by tissue cultures and leaves of *Eremophila* fraseri F. Muell. (Myoporaceae) 1

Dharamadhaj, P., and Prakash, N.—
Development of the anther and ovule in

Capsicum L. 433

Dixon, K. W., and Pate, J. S.—
 Phenology, morphology and reproductive biology of the tuberous sundew,
 Drosera erythrorhiza Lindl. 441

Dixon, K. W. See also Pate, J. S. 455 Ducker, Sophie C., Pettitt, J. M., and Knox, R. B.—

Biology of Australian seagrasses: pollen development and submarine pollination in Amphibolis antarctica and Thalassodendron ciliatum (Cymodoceaceae) 265

Eastwood, F. W. See Bradley, V. 723

Farrell, T. P., and Ashton, D. H.—
Population studies on *Acacia melanoxylon*R. Br. I. Variation in seed and vegetative characteristics 365

Gaff, D. F., and Latz, P. K.—
Occurrence of resurrection plants in the
Australian flora 485

Gregory, Jeanette. See Bamber, R. K. 177 Groves, R. H.—

Growth of heath vegetation. IV. Effects of temperature on growth of Banksia ornata, B. serrata and B. serratifolia 45

Guthrie, H. B., Attiwill, P. M., and Leuning, R.—

Nutrient cycling in a Eucalyptus obliqua (L'Hérit.) forest. II. A study in a small catchment 189 Guthrie, H. B. See also Attiwill, P. M. 79 Hallam, N. D. See Salkin, A. 707 Sward, R. J. 29

Halsall, D. M .-

Comparison of *Phytophthora cinnamomi* infection in *Eucalyptus sieberi*, a susceptible species, and *Eucalyptus maculata*, a field resistant species 64.

Hill, R. S .-

Two new species of *Bowenia* Hook, ex Hook, f. from the Eocene of eastern Australia 837

Hodgkinson, K. C., and Quinn, J. A.— Environmental and genetic control of reproduction in *Danthonia caespitosa* populations 351

Holland, A. A. See Byrt, Pauline N. 169 Sward, R. J. 29

Hope, G. S .-

Late Pleistocene and Holocene vegetational history of Hunter Island, north-western Tasmania 493

Hopper, S. D .-

Experimental study of competitive interference between *Anigozanthos manglesii* D. Don, A. humilis Lindl. and their F₁ hybrids 807

Progeny trials in an introgressive hybrid population of *Anigozanthos* Labill. (Haemodoraceae) 309

Hopper, S. D., and Burbidge, A. H.—
 Assortative pollination by red wattlebirds in a hybrid population of *Anigozanthos* Labill. (Haemodoraceae) 335

Hopper, S. D., Coates, D. J., and Burbidge, A. H.—

Natural hybridization and morphometric relationships between three mallees (*Eucalyptus* spp.) in the Fitzgerald River National Park, W.A. 319

Hopper, S. D., and Maslin, B. R.— Phytogeography of Acacia in Western Australia 63

Irvine, M. C. See Bradley, V. 723

Jacobs, S. W. L. See Carolin, R. C. 683 Johnston, C. R. See Watson, L. 235

Knox, R. B. See Ducker, Sophie C. 265Kraft, G. T.—Studies of marine algae in the lesser-

Studies of marine algae in the lesserknown families of the Gigartinales (Rhodophyta). III. The Mychodeaceae and Mychodeophyllaceae 515 Ladd, P. G .-

Vegetation history at Lake Curlip in lowland eastern Victoria, from 5200 B. P. to present 393

Ladiges, Pauline Y. See Anderson, C. A. 93 Lange, R. T.—

Carpological evidence for fossil

Eucalyptus and other Leptospermeae
(subfamily Leptospermoideae of
Myrtaceae) from a Tertiary deposit in
the South Australian arid zone 221

Latz, P. K. See Gaff, D. F. 485
Lee, T. H. See Simpson, D. J. 783, 793
Lennox, F. G. See Murray, D. R. 755
Leuning, R. See Attiwill, P. M. 79
Guthrie, H. B. 189

Malajczuk, N. See Boughton, T. J. 611 Maslin, B. R. See Hopper, S. D. 63 del Moral, R., Willis, R. J., and Ashton, D. H.—

Suppression of coastal heath vegetation by Eucalyptus baxteri 203

Mott, J. J.-

Dormancy and germination in five native grass species from savannah woodland communities of the Northern Territory 621

Mullette, K. J .-

Studies of the lignotubers of Eucalyptus gummifera (Gaertn. & Hochr.). I.

The nature of the lignotuber 9

See also Rember P. K.

See also Bamber, R. K. 15

Mullette, K. J., and Bamber, R. K.—
Studies of the lignotubers of *Eucalyptus gummifera* (Gaertn. & Hochr.). III.
Inheritance and chemical composition 23

Murray, D. R., Ashcroft, W. J., Seppelt, R. D., and Lennox, F. G.— Comparative biochemical and morphological studies of Acacia sophorae (Labill.) R. Br. and Acacia

longifolia (Andrews) Willd.

Parker, C. A. See Sivasithamparam, K. 773 Parsons, R. F. See Russell, R. P. 53

Pate, J. S., and Dixon, K. W.— Mineral nutrition of *Drosera erythrorhiza* Lindl. with special reference to its tuberous habit 455

Pate, J. S. See also Dixon, K. W. 441
Paton, D. M.—
Eucalyptus physiology. 1. Photoperiodic responses 633

- Petersen, R. H .-
 - Genus Clavaria in south-eastern
 - Australia 415
 Genus Ramariopsis in south-eastern
- Australia 425
- Pettitt, J. M. See Ducker, Sophie C. 263 Prakash, N. See Dharamadhaj, P. 433
- Quinn, J. A. See Hodgkinson, K. C. 351
- Robson, A. D. See Boughton, T. J. 611
- Russell, R. P., and Parsons, R. F.-
- Effects of time since fire on heath floristics at Wilson's Promontory, southern Australia 53
- Salkin, A., and Hallam, N. D.—
 The topodemes of *Banksia canei* J. H.
- Willis (Proteaceae) 707 Sedgley, M., and Buttrose, M. S.—
- Structure of the stigma and style of the avocado 663
- Seppelt, R. D. See Murray, D. R. 755
- Shepherd, C. J.—
 - Mating behaviour of Australian isolates of *Phytophthora* species. I. Inter- and intraspecific mating 123
- Shepherd, C. J., and Cunningham, R. B.— Mating behaviour of Australian isolates of Phytophthora species. II. Phytophthora cinnamomi 139
- Simpson, D. J., Baqar, M. R., and Lee, T. H.—
 - Chromoplast ultrastructure in fruit of Solanum pseudocapsicum and fruit and sepals of Physalis alkekengi 793
 - Fine structure of the chromoplasts of fruit of Solanum aviculare Forth. var. brisbanense 783
- Sivasithamparam, K., and Parker, C. A.— Effects of certain isolates of bacteria and
- actinomycetes on *Gaeumannomyces*graminis and take-all of wheat 773
- Slater, K. R. See Williams, D. G. 381
- Slatyer, R. O.—
 Altitudinal variation in the photosynthetic
 - characteristics of snow gum, Eucalyptus pauciflora Sieb. ex Spreng. VII. Relationship between gradients of field
 - temperature and photosynthetic temperature optima in the Snowy Mountains area 111
- Stace, Helen M.—
- Cytoevolution in the genus *Calotis* R. Br. (Compositae: Astereae) 287

- Summerville, Rosanne. See Bamber, R. K. 177
- Swan, J. M. See Bradley, V. 723
- Sward, R. J .-
- Infection of Australian heathland plants by Gigaspora margarita (a vesiculararbuscular mycorrhizal fungus) 253
- Sward, R. J., Hallam, N. D., and Holland,
- Endogone spores in a heathland area of south-eastern Australia 29
- Symon, D. E. See Bradley, V. 723
- Thinh, Luong-Van-
 - Photosynthetic lamellae of *Prochloron*(Prochlorophyta) associated with the ascidian *Diplosoma virens* (Hartmeyer) in the vicinity of Townsville 617
- Vesk, Maret. See Carolin, R. C. 683 Vithanage, Kumudini. See Weste, Gretna 153, 657
- Wade, G. C. See Walker, R. R. 239
- Walker, R. R., and Wade, G. C .-
 - Resistance of potato tubers (Solanum tuberosum L.) to Phoma exigua var. exigua and Phoma exigua var. foveata 239
- Watson, L., and Johnston, C. R.— Taxonomic variation in stomatal insertion
- among grass leaves 235
 Weste, Gretna, and Vithanage, Kumudini—
- Effect of *Phytophthora cinnamomi* on microbial populations associated with the roots of forest flora 153
- Seasonal variation in numbers of chlamydospore populations in Victorian forest soils infested with *Phytophthora* cinnamomi 657
- Williams, D. G., Anderson, D. J., and Slater, K. R.—
 - Influence of sheep on pattern and process in *Atriplex vesicaria* populations from the Riverine Plain of New South Wales 381
- Willis, R. J. See del Moral, R. 203
- Withers, Jennifer R.—
 Studies on the status of unburnt

 Eucalyptus woodland at Ocean Grove,
 Victoria II Differential seedling
- Eucalypius woodland at Ocean Grove, Victoria. II. Differential seedling establishment of Eucalypius ovata Labill. and Casuarina littoralis Salisb. 465
- III. Comparative water relations of the major tree species 819

Subject Index

Acacia:

melanoxylon, variation in seed and vegetative characteristics Phytogeography of, in W.A. sophorae and longifolia, biochemical and morphological studies of

Amphibolis antarctica, pollen development and submarine pollination in 265

Anigozanthos:

manglesii, humilis and their hybrids, competitive interference between Pollination in a hybrid population by red wattlebirds 335

Progeny trials in a hybrid population Araucaria, unusual cells in the mesophyll zone of the leaves 177

Atriplex vesicaria, influence of sheep on pattern and process in populations Avocado, structure of stigma and style

Banksia:

canei, topodemes of 707 ornata, serrata and serratifolia, effects of temperature on growth Bowenia, two new species from Eocene Brachycome, cytology, survey of subgenus Metabrachycome

Calotis, cytological analysis of genus Capsicum, development of anther and ovule 433 Chenopodiales, Kranz cells and mesophyll Clavaria, in SE. Australia

Danthonia caespitosa, environmental and genetic control of reproduction in Drosera:

415

erythrorhiza, mineral nutrition of erythrorhiza, phenology, morphology and reproductive biology

Ecology

Carpological evidence for fossil Eucalyptus from the S. Aust. arid zone Comparison of three Eucalyptus obliqua populations in S. Victoria Competitive interference between Anigozanthos manglesii, A. humilis and 807 their hybrids Effects of time since fire on heath floristics at Wilson's Promontory, Vic. Effects of temperature on Banksia spp. Endogone spores in a heathland of SE. Australia 29

Ecology (Continued)

Environmental and genetic control of reproduction in Danthonia caespitosa 351

Hybridization between three mallees in W. Aust.

Influence of sheep on pattern and process in Atriplex vesicaria populations Nutrient cycling in a Eucalyptus obliqua

79, 189 forest Occurrence of resurrection plants in

Australian flora 485 Phytogeography of Acacia in W. Aust. 63 Pollination of hybrid Anigozanthos by red wattlebirds 335

Relationship between field and photosynthetic temperatures of snow gum in Snowy Mts. 111

Seed and vegetative characteristics in Acacia melanoxylon

Studies on the status of unburnt Eucalyptus at Ocean Grove, Vic. 465, 819

Suppression of coastal heath vegetation by Eucalyptus baxteri 203

Topodemes of Banksia canei 707 Vegetation history at Lake Curlip, E. Victoria 393

Vegetation history of Hunter Is., NW. Tasmania 493

Endogone spores in a heathland area of SE. Australia

Eremophila fraseri, conversion of mevalonic acid by tissue cultures and leaves Eucalyptus:

axenic seedlings, infection with Phytophthora cinnamomi 169

baxteri, suppression of coastal heath

fossil, carpological evidence for from S. Aust. arid zone 221

gummifera, lignotubers of 9, 15, 23 jarrah roots, suppression of infection with lime 611

obliqua, comparison of three populations in S. Victoria

obliqua, litter production and nutrient return

obliqua, study in a small catchment ovata, differential seedling establishment with Casuarina littoralis

pauciflora, changes in photosynthetic characteristics in Snowy Mts.

photoperiodic responses sieberi, and maculata, Phytophthora cinnamomi infection of

783

Eucalyptus (Continued)

- spp., comparative water relations of, at Ocean Grove, Vic. 819 spp., hybridization between three mallees in W. Aust. 319
- Gaeumannomyces graminis, var. tritici, effects of certain bacteria and actinomycetes on 773

Genetics

- Cytoevolution in Calotis 287 Cytology of Brachycome. II 699 Hybridization and morphometric relationships between three mallees in W, Aust. 319
- Progeny trials in a hybrid population of Anigozanthos 309
- Gigartinales (Rhodophyta), III. Families Mychodeaceae and Mychodeophyllaceae, marine algae in 515
- Gigaspora margarita, infection of Australian heathland by 253

Grasses:

- Dormancy in five native species of the N.T. 621
- Leaves of, taxonomic variation in stomatal insertion among 235

Heath

- Effects of temperature on growth of Banksia ornata, B. serrata and B. serratifolia 45
- Effects of time since fire on, at Wilson's Promontory 53
 Infection of by Gigaspora margarita 2:
- Lignotubers of Eucalyptus gummifera. I, II, III 9, 15, 23
- Marine algae in families of the Gigartinales (Rhodophyta). III 515

Morphology and Ontogeny

- Chromoplast ultrastructure in fruit of Solanum pseudocapsicum and Physalis alkekenai 793
- Development of anther and ovule in Capsicum 433
- Kranz cells and mesophyll in the Chenopodiales 683
- Lignotubers of Eucalyptus gummifera 9, 15, 23
- Photosynthetic lamellae of *Prochloron* associated with ascidian *Diplosoma* virens 617
- Pollen development and submarine pollination in *Amphibolis antarctica* and *Thalassodendron ciliatum* 265

Morphology and Ontogeny (Continued)

- Structure of chromoplasts of fruit of Solanum aviculare var. brisbanense Structure of stigma and style of the
- avocado 663
 Unusual cells in mesophyll zone of the leaves of *Araucaria* 177
- Nutrient cycling in a Eucalyptus obliqua forest 79, 189

Pathology

- Comparison of *Phytophthora cinnamomi* infection in *Eucalyptus sieberi* and *E. maculata* 643
- Effect of *Phytophthora cinnamomi* on microbes in soil around roots of forest flora 153
- Effects of bacteria on take-all fungus of wheat 773
- Infection of Australian heathland by Gigaspora margarita 253
- Infection of axenic Eucalyptus seedlings with Phytophthora cinnamomi zoospores 169
- Mating behaviour of Australian isolates of *Phytophthora* spp. 123, 139
- Resistance of potato tubers to *Phoma*exigua vars. exigua and foveata 239
- Suppression of *Phytophthora cinnamomi* infection of jarrah roots with lime application 611
- Variation in chlamydospore populations in Victorian forest soils infected with Phytophthora cinnamomi 657

Phytochemistry and Physiology

- Australian Solanum plants as sources of solasodine 723
- Biochemical and morphological studies of Acacia sophorae and A. longifolia 755
- Chromoplast ultrastructure in fruit of Solanum pseudocapsicum and Physalis alkekengi 793
- Conversion of mevalonic acid by tissue cultures and leaves of *Eremophila* fraseri 1
- Dormancy and germination in five grass spp. from savannah woodlands of the N.T. 621
- Mineral nutrition of Drosera erythrorhiza 455
- Phenology, morphology and reproductive biology of *Drosera erythrorhiza* 441
- Photoperiodic responses of *Eucalyptus*Structure of chromoplasts of fruit of
 Solanum aviculare var. brisbanense
 783

Phytophthora:

- cinnamomi, comparison of infection in Eucalyptus sieberi and E. maculata cinnamomi, effect on soil microbial
- populations 153 cinnamomi, infection of Eucalyptus seedlings with zoospores 169
- cinnamomi, mating behaviour of
- Australian isolates 139
 cinnamomi, numbers of chlamydospores in
- infected Victorian forest soils 657 cinnamomi, suppression in jarrah roots, with lime application 611
- spp., mating behaviour of Australian isolates 123
- Potato. See Solanum tuberosum Prochloron, lamellae of, associated with ascidian Diplosoma virens 617
- Ramariopsis, in SE. Australia 425
 Resurrection plants, occurrence in the
 Australian flora 485
- Seagrasses. See Amphibolis, Thalassodendron Snow gum. See Eucalyptus pauciflora Solanum:
 - Australian spp. as potential sources of solasodine 723
 - aviculare, var. brisbanense, structure of chromoplasts of fruit 783
 - chromoplasts of fruit 783
 pseudocapsicum, and Physalis alkekengi,
 chromoplast ultrastructure in fruit of 793
 tuberosum, resistance of tubers to Phoma
 exigua varieties 239

Status of unburnt *Eucalyptus* at Ocean Grove, Vic. II, III 465, 819

Taxonomy

- Australian Solanum plants as potential sources of solasodine 723
- Carpological evidence for fossil

 Eucalyptus from the S. Aust. arid

 zone 221
- Comparative studies of Acacia sophorae and A. longifolia 755
- Families of Gigartinales (Rhodophyta)
- Genus Clavaria in S.E. Australia 415
- Genus Ramariopsis in SE. Australia 425 Taxonomic variation in stomatal insertion among grass leaves 235
- Two new species of *Bowenia* from Eocene 837
- Thalassodendron ciliatum, pollen development and submarine pollination in 265
- Variation in photosynthetic characteristics of snow gum in Snowy Mts. VII 111 Vegetation history:
- Hunter Island, NW. Tasmania 493 Lake Curlip, lowland E. Victoria, from 5200 B. P. 393
- Wheat, take-all fungus. See Gaeumannomyces graminis

